



Gulfstream American

Gulfstream American Corporation
P.O. Box 2206, Savannah, Georgia 31402

EQUIPMENT LIST

MODEL AA-5B

AIRCRAFT SERIAL NO. AA5B-1145 FAA REGISTRATION NO. N4529D DATE 4/16/79

NOTES



Suffix letters to item numbers:

- R = required items of equipment for FAA certification
- S = standard equipment items
- O = optional equipment items replacing required or standard items
- A = optional equipment items which are in addition to required or standard items



Status of equipment

- X = Installed in the aircraft at the factory
- N = Not installed on, or stowed in, the aircraft at the factory
- L = Loose item of equipment which is stowed in the aircraft when it left the factory but which is not included in the Optional Equipment Weight and Moment. (Installed ARM is listed)

3. Unless otherwise indicated, actual valve (not net change valves) for weight and arm are shown. See weight and balance data sheet for datum location.
4. A separate FAA approval must be obtained if the following items are not installed per applicable Gulfstream American Corporation drawings or accessory kit instructions.

ITEM NO.		DESCRIPTION	REF DRAWING	WT. LBS	ARM INS
001-R	X	Powerplant Installation includes Lycoming 180 HP engine, installation parts, fuel pump, vac pump drive, primer system, oil thermostatic bypass valve, alternator, carburetor air box, and filter.	5500009	302.92	22.89
002-R	X	Propeller installation including propeller, aluminum spacer and hardware	5500010	40.22	7.84
003-R	X	Muffler assembly	5504002	14.62	23.30
004-R	X	Oil Cooler and Lines	5500005	3.16	36.00
005-R	N	Propeller Spinner (OBSOLETE)	5500012	2.67	4.32
006-R	X	Vacuum Pump Pad	16-405002	.01	37.00
007-O	X	Quick Drain Oil Valve (Exchangeable)	-----	0.00	0.00
008-R	N	Airspeed Indicator	5801013	.50	68.50
009-R	N	Altimeter (Standard)	5102346	1.12	68.00
010-R	X	Magnetic Compass	5102273	.58	70.77
011-R	X	Instrument Cluster	5801010	.48	69.25
012-R	N	Pitot System (Standard)	5404011	1.78	122.65
013-O	X	Heated Pitot (Exchange)	5804007	.97	88.01

ISSUED:

REVISED:

APPROVED:

SHT 1 OF 5



Gulfstream American

Gulfstream American Corporation
P.O. Box 2206, Savannah, Georgia 31402
1145

EQUIPMENT LIST (CONT'D)

Revision M

MODEL AA-5B

ITEM NO.		DESCRIPTION	REF DRAWING	WT. LBS	ARMS
014-R	X	Recording Tachometer	5801010	.62	69.00
015-R	X	Stall Warning (Audible)	16-402010	.61	64.32
016-O	N	Altimeter, Sensitive (Feet & Millibar)	5804010	.88	68.00
017-O	X	Altimeter, Sensitive (Feet & Inches)	5804010	.88	68.00
018-A	X	Gyro System (With Vacuum System)	5405006	10.55	59.69
019-A	X	Outside Air Temp Indicator (1975)	14-804006	.38	69.20
020-A	X	Turn Coordinator --Indicator	13-804009	2.40	66.56
021-A	X	Vertical Speed Indicator	13-804004	.50	68.25
022-R	X	Alternator, 12v, 60a, (Included in Engine Wt.)	5500005	---	----
023-R	X	Battery, 12 v, 25 amp-hour	16-402020	22.30	47.00
024-R	X	Light Cabin Dome	5102354	.37	124.00
025-R	X	Instrument Lights	102338	.06	69.00
026-R	X	Navigation Lights	5103082	.95	111.70
027-R	X	Standard Wiring System	5402010	1.36	41.30
028-R	X	Voltage Regulator - 12 volt	16-402020	.80	49.00
029-R	X	Aileron & Elevator Lock	13-602111	.08	71.00
030-R	X	Brake, Toe Operated	16-403009	2.80	54.43
031-R	X	Electric Flaps	5604001	9.56	124.40
032-S	X	Parking Brake	16-403013	.74	65.75
033-S	X	Armrests, Front and Rear (4)	5102344	.88	109.65
034-S	X	Ashtrays (2)	5102344	.20	115.00
035-S	X	Baggage Straps	13-102353	.30	150.00
036-S	X	Cabin Air Ventilators	16-406009	2.28	66.03
037-S	X	Canopy Latch	5102277	.10	86.50
038-S	X	Center Console Fore & Aft	5102357	2.40	95.60
039-S	X	Chart Holder	5102344	.08	70.00
040-S	X	Coat Hook	5102344	.02	105.40
041-S	X	Fold Down Rear Seat	5102327	25.90	126.80
042-R	X	Fuse Holder & Spare Fuse	13-402011	.01	69.00
043-S	X	Glove Compartment	5102344	.53	68.00
044-S	X	Headliner, Fabric	5102344	.54	126.80
045-S	N	Head Rests, Rear (OBSOLETE)	5102344	1.00	136.88
046-R	X	Cabin Heating System	5406001	5.28	52.39
047-S	X	Instrument Panel Glare Shield	5102338	1.66	65.75
048-R	X	Seats, Front	5102326	24.50	92.50
049-R	X	Seat Belts	5102325	2.50	119.65
050-R	X	Shoulder Harnesses	5102325	4.32	132.83
051-S	X	Soundproofing	5102344	1.88	100.00
052-S	X	Baggage Tie Down Rings	5102296	.40	148.40
053-A	N	Auxiliary Power Receptacle	16-804023	1.50	44.50
054-A	X	Cigarette Lighter	5102357	.25	75.00
055-A	X	Clock (Electric)	14-804012	.33	69.50
056-A	N	Corrosion Proofing	APS-1056	3.38	110.00
057-A	X	Dual Controls	5600007	7.50	60.81
058-A	N	Fire Extinguisher	5804009	4.60	83.50
059-A	X	Hour Meter	14-804005	.40	69.25
060-O	X	Tinted Windows (Exchange)	5804011	---	----
061-A	L	Tow Bar	14-804022	2.00	136.00
062-A	X	Ventilation System, Rear Seat	5804001	.33	119.00
063-A	N	Head Rests, Front (2) (OBSOLETE)	5804002	1.00	105.04

ISSUED:

REVISED:

SHT 2 OF 5



Gulfstream American

Gulfstream American Corporation
P.O. Box 2206, Savannah, Georgia 31402
1145

EQUIPMENT LIST (CONT'D)

Revision M

MODEL AA-5B

ITEM NO.		DESCRIPTION	REF DRAWING	WT. LBS.	ARMS
064-S	X	Paint Scheme (Imron)	5000003	6.00	118.98
065-S	X	Step Strips	5201178	.05	89.50
066-S	X	Main Wheel, Tire & Brake Assembly (two 6.00 x 6 type III)	5701070	36.75	100.15
067-S	X	Nose Wheel, Tire & Tube (5.00 x 5)	16-702054	8.70	36.10
068-S	N	Wheel Hub Covers	13-701007	.07	71.33
069-S	X	Wing & Tail Tie Down Rings	5200003	.15	111.70
070-A	N	Beacon Omni Flash, (INACTIVE)	16-804001	1.04	231.60
071-A	X	Landing Light	5804028	1.17	17.35
072-A	X	Wheel Fairings, Main Gear (2)	5701050	16.36	99.76
073-A	X	Wheel Fairings, Nose Gear	16-804019	4.30	35.01
074-A	N	Outside Step (L.H.)	5804018	2.52	127.68
075-A	X	Outside Step (Both R.H and L.H.)	5804018	5.05	127.68
076-A	N	Winterization Kit (INACTIVE)	-----	---	-----
077-S	X	Engine Primer (Included in Engine Wt.)	-----	---	-----
078-S	X	Fuel Pump, Electric	5401122	2.17	48.50
079-R	X	Fuel Pump, Mechanical (Included in Engine Wt.)	5401122	---	-----
080-S	X	Fuel Selector Valve	5401133	.55	76.40
081-S	X	Fuel Tank Quick Drains (4)	5401130	.20	93.50
082-A	X	Option 1 (Includes Microphone Inst.)	5802019-502	5.42	131.73
083-A	N	Option 2	5802012-503	4.26	97.60
084-A	N	Option 3	5802013-504	2.23	78.83
085-A	N	Option 101 (OBSOLETE)	5802013-505	1.12	53.54
086-A	N	Narco Escort 110 (1975)	5802002	6.37	61.61
087-A	N	Narco AT-50A Transponder	5802001	4.89	62.14
088-A	N	Narco Com 10A/Nav 10 or Com 110/Nav110	5802001	7.08	62.16
089-A	N	Narco Com 11A/Nav11 or Com 111/Nav111	5802004	7.78	62.38
090-A	N	Narco Com 11A/Nav 12/UGR 2A	5802005	9.88	60.38
091-A	N	Narco Com 11A/Nav 14/UGR 2A/DGO 10	5802076	14.02	69.81
092-A	N	Narco ADF-31AB (1975)	5802018	5.30	66.38
093-A	N	King KX 170B/KI201C	5802031	10.33	65.02
094-A	N	King KX 170B/KI214	5802032	10.53	65.07
095-A	N	Genave Delta 202 (1975)	5802023	2.50	82.36
096-A	N	Genave Alpha 200A (1975)	5802021	5.71	63.61
097-A	N	Genave Alpha 360/Theta 100 (1975)	5802020	7.41	64.37
098-A	N	Genave Alpha 360/Theta 200/Phi 20 (1975)	5802026	8.61	64.15
099-A	N	Emergency Locator Beacon (C.C.C. CIR-10) (1975)	5802026	2.50	232.42
100-A	N	Narco Audio Switch Panel (1975)	-----	1.20	70.00
101-A	N	Narco MBT-12 Marker Beacon (less Marker Beacon Light Assembly)	5802021-501	3.13	75.52
102-A	N	Marker Beacon Light Assembly	5802006-501	.13	69.00
103-A	N	Turn & Bank Installation	13-804009	1.94	68.00
104-A	N	Microphone Inst.	5802009	.50	91.80
105-A	N	Narco Mark 16 (1975)	-----	9.63	63.75
106-A	N	CP-125 Audio Panel	5802015	1.69	67.55
107-A	N	PDF-35 Installation (1975)	5802017	7.16	88.69
108-A	X	2-Light Strobe Installation	5804012	3.10	101.96
109-A	X	Century I Autopilot	5804013	4.64	67.58

ISSUED:

REVISED:

SHT 3 OF 5



Gulfstream American

Gulfstream American Corporation
P.O. Box 2206, Savannah, Georgia 31402
1145

EQUIPMENT LIST (CONT'D)

MODEL AA-5B

Revision M

ITEM NO.		DESCRIPTION	REF DRAWING	WT. LBS	ARM IN.
110-A	N	King KX 175/KI 210C	5802033	10.33	65.02
111-A	N	King KX 175/KI 211C or KI 214	5802033	10.53	65.07
112-A	N	King KT-78A	5802033	3.21	65.24
113-A	N	King KR 85/KI 225	5802033	7.89	83.65
114-A	N	King KMA 20	5802033	2.38	68.27
115-A	N	King KT 76A	5802033	3.21	65.24
116-A	N	King System Inst.	5802033	31.01	69.79
117-A	N	Pantronics H.F. DX10RA		14.00	120.57
118-A	N	Bendix ADF		18.60	71.47
119-A	X	Narco ELT-10 Emergency Locator Beacon	5802046	3.62	233.40
120-A	N	Narco ADF 140 Installation	5802053	9.36	97.21
121-A	X	Sunvisor (2)	5804034	.58	80.25
122-A	X	Map Light	5804032	.25	79.40
123-A	N	Century IIB Autopilot	5804047	10.85	61.92
124-A	N	DME 190 Narco	5802058	6.60	66.41
125-A	X	Alternate Static Source	5804031	.22	68.50
126-O	N	Encoding Altimeter (Exchange)	5804015		
		AR-800 Narco or		1.08	66.98
		8040-15K AeroMach or		.88	66.86
		5035P2-P25 United Inst. or		.88	66.86
		5035P-P22 United Inst.		.88	66.86
127-O	X	True Air Speed Indicator (Exchange)		---	---
128-O	N	Narco ELT-10C Emergency Locator Beacon	5802046	2.70	233.40
129-A	X	Nose Gear Shock Absorber Installation (Includes Firewall Seal)	5702003	4.31	46.55
130-A	N	Glider Tow Hitch Installation	5804053	6.42	223.51
131-A	N	Collins VHF-251	5802200	4.40	62.32
132-A	N	Collins VIR 351/IND 350/VHF 251	5802200	9.02	63.02
133-A	N	Collins VHF251/VIR351/IND351/GLS350	5802200	11.46	61.37
134-A	N	Collins RCR 650/IND 650/ANT 650	5802200	6.60	103.81
135-A	N	Collins TDR 95L/Antenna	5802200	2.27	67.11
136-A	N	Collins AMR 350/Antenna	5802206	2.80	67.78
137-A	N	Sidetone Intercom	5802048	.25	69.50
138-A	X	Narco COM 120	5802221	4.82	61.54
139-A	X	Narco Instl. NAV 121	5802221	3.72	60.42
140-A	N	Narco Instl. NAV 122	5802221	4.02	60.60
141-A	X	Narco Instl. AT 150	5802221	4.32	61.05
142-A	N	Narco ADF 141	5802221	6.20	98.74
143-A	N	Narco CP 135	5802221	2.10	67.51
144-A	N	King KI 203	5802213	1.60	67.30
145-A	N	King KI 204	5802213	1.70	67.30
146-A	N	King KN 75	5802213	1.60	66.20
147-A	N	MTG tray Assy.	5802212-501	.31	67.38
148-A	N	King KI 208	5802214	1.00	67.30
149-A	N	King KI 209	5802214	1.20	67.30
150-A	N	Collins VHF 250	5802210	3.30	64.03
151-A	N	Collins VIR 350	5802210	3.10	64.53
152-A	N	Collins VHF 250/VIR 350/IND 350	5802210	8.52	62.96
153-A	N	Collins VHF250/VIR350/IND351/GLS350	5802210	10.96	61.25
154-A	N	Abrasion Boots, Hori- Stabilizer	5302042-4	3.80	225.50

ISSUED:

REVISED:



Gulfstream American

Gulfstream American Corporation
P.O. Box 2206, Savannah, Georgia 31402
1145

Revision M

EQUIPMENT LIST (CONT'D)

MODEL AA-5B

ITEM NO.		DESCRIPTION	REF DRAWING	WT. LBS	AR.MINS
155-A	N	Encoding Altimeter - United Instrument 5035P2-P30 (Exchange)	5804015	.88	66.86
156-A	X	Beacon Omni Flash	5804057	1.27	227.90
157-A	N	Storage Box Assembly	5102387	.80	89.00
158-R	N	Pilot's Handbook (Includes AFM) INACTIVE		.40	89.00
159-R	X	Propeller Spinner	5500017	4.90	6.04
160-R	X	Airplane Flight Manual (AFM)	----	.30	89.00
161-S	N	Pilot's Operating Handbook (POH)	----	1.10	89.00

ISSUED:

REVISED: